

MC9300 Handheld Mobile Computer

The ultimate Android ultra-rugged combination keypad/touch mobile computer

Every day, over three million workers use an MC9000 Series mobile computer to streamline processes in warehouses and manufacturing plants all over the world. But now you need to handle and ship more orders every day, faster than ever. Introducing the mobile computer that can get it done, the MC9300 — the next evolution of the world's best-selling and most trusted enterprise mobile computer. Your workers get the ultimate in simplicity with Android, an operating system your workers already know well, a larger advanced touch display and more. Handle all of your applications with the ultimate in processing power and memory. New data capture capabilities include optional front and back cameras, extraordinary scan ranges and superior direct part mark (DPM) capture. The new battery runs twice as long as the MC9200 on a single charge. It's the most rugged MC9000 Series ever created, ready to outlast virtually every device in its class in any environment — including the freezer. New Mobility DNA solutions make device, OS security and battery management easy, while delivering better-than-ever robust wireless connections. And since you can run your existing TE apps right out of the box, migrating to Android couldn't be easier.



The Ultimate Android Platform

Maximum processor power and memory

The ultra-powerful 8-core processor combines with up to eight times the RAM and 16 times the Flash memory of the MC9200 to deliver superior performance on all your voice and data apps.

Power a full shift and beyond with maximum battery power

The PowerPrecision+ battery delivers the most battery power in its class — nearly twice the battery run time of the MC9200, plus fast charging and a wealth of battery statistics to better manage your

battery pool. And with PowerPrecision Console, a free PC-based Mobility DNA tool, it's easy to identify and discard aging batteries, before they impact workforce productivity and your operations.

Dependably superior WiFi connections

With 2x2 Multiple-User Multiple Input Multiple Output (MU-MIMO) technology and WorryFree WiFi, a free Mobility DNA tool, you get increased WiFi range and speed, near instant application response times, unmatched roaming, exceptional voice quality and network diagnostics that help keep your WiFi network up and running at peak performance.

A lifetime security guard for Android

With LifeGuard™ for Android™, you get the security updates you need to keep your Zebra Android devices secure every day they are in service — along with easy end-to-end control of the OS update process, plus support for the next two versions of Android (P and Q).

The Ultimate in Application Support

Run your Terminal Emulation (TE) apps, right out of the box

Integrated support for your TE apps makes it easy to migrate from Windows to Android — no backend modification or user training required. And when you're ready to turn your 'green screen' TE apps into elegant touch-centric intuitive screens to boost productivity, Mobility DNA's All-touch TE makes it easy.

Take productivity and efficiency to the next level in your warehouse with the next evolution in the world's best-selling industrial computer — the MC9300.

For more information, visit www.zebra.com/mc9300

Larger touchscreen with advanced technology

The large multi-touch 4.3 in. WVGA display allows your workers to view more business data, while providing best-in-class indoor/outdoor readability and data input flexibility. Use a finger — even with a thick glove — or a stylus. And users can interact with the screen even if the display is wet.

Bluetooth Low Energy (BLE) 5.0 for twice the speed and four times the range

Bluetooth peripheral performance is improved, while power requirements are reduced, extending battery cycle times.

Ultra high-resolution photos and videos improve productivity

The new optional 13 MP color rear-facing camera captures highly detailed photos and videos to document proof of condition, proof of compliance and more.

Rich locationing support

Easily implement locationing to boost operational efficiency with support for many technologies, including Visible Light Communication (VLC)² via the optional front facing 5MP camera, plus WiFi, Bluetooth 5.0 BLE and Zebra's locationing solutions.

Advanced industrial scanning and an extraordinary scan range

Short, mid or long range scanning — the MC9300 does it all. Advanced scanning technology delivers lightning fast capture of 1D and 2D barcodes in virtually any condition. An industry-leading field of view enables the capture of very wide barcodes at close range. With the extended range SE4850, you can capture barcodes in hand and on your uppermost warehouse racks — from 3 inches to as far as 70 feet away. And the SE4750DP⁴ enables dependable lightning-fast capture of virtually every direct part mark.

Vibrate feedback mode

The optional vibrate mode is ideal in noisy warehouse environments, where the beep tone that signifies a successful scan can be virtually impossible to hear.

The best of both worlds — touchscreen and keypad input

Two data entry modes support TE apps today and Android intuitive, interactive apps tomorrow. Maximize key-based data entry simplicity with your choice of keypads and enable touch input for TE or Android apps now or in the future. And since you can easily swap keypads right in your facility, you can re-purpose devices or replace broken keypads instantly — no trip to the service depot and no device downtime.

Doubles as a walkie-talkie — with no extra cost

With Voice-over-IP (VoIP) support and pre-loaded and pre-licensed PTT Express, your workers get instant push-to-talk capability, right out of the box.

All day comfort in the most scan intensive apps

When you give your workers the MC9300, you give them a mobile computer designed for comfort, with the most proven ergonomics — a perfectly weighted device with a pistol-style grip.

NFC for simple pairing

With a quick tap, workers can pair the MC9300 with a ring scanner, mobile printer, headset and more with optional NFC.

The Ultimate Ultra-Rugged Design for Every Environment The most rugged device in its class

When it comes to handling the harshest environments, the MC9300 is at the top of its class. The MC9300 is virtually waterproof, drop-proof, dust-proof and tumble-proof, offering superior reliability. And Corning Gorilla Glass brings maximum scratch-and-impact resistance to two of the most vulnerable device features — the display and exit window.

A model for the most challenging environments

Regardless of whether your environment includes freezers, coolers or the presence of hazardous materials, there is an MC9300 model to meet your needs. The freezer model² includes a heated scanner exit window and a freezer-rated battery. And the Class 1 Div 2 non-incendive model¹ enables mobile computing in areas with flammable gases and materials.

The Ultimate Accessory Ecosystem

New accessories minimize charging time, maximize backroom space and more

All new charging cradles take advantage of the new fast charging feature, enabling a 90% charge in four hours or less. New cradle configurations allow you to increase density and device flexibility to make the most of your backroom area. And the universal ShareCradle base is rack mountable and can accommodate the MC9300 and other Zebra mobile computers with the addition of the right adapter cup.

Cost-effectively upgrade with backwards accessory compatibility

Use your existing MC9200 device charging solutions by simply adding an adapter cup, as well as the soft holster and handstrap.

MC9300 Specifications

Physical Characteristics	
Dimensions	9.4 in. L x 3.5 in. W x 7.4 in. H 240 mm L x 88 mm W x 189 mm H
Weight	26.9 oz./765g with battery
Display	4.3" WVGA (800 x 480), color display
Imager Window	Corning Gorilla Glass
Touchpanel	Dual mode capacitive touch with finger, gloved finger or stylus input (conductive stylus sold separately); screen protector (sold separately); Corning Gorilla Glass with air gap (standard model) or optically bonded (freezer model).
Backlight	LED backlit display
Power	Rechargeable Li-Ion: 3.6V, 7000mAh. (Cold Storage Capacity battery — 5000mAh) Both batteries offer: PowerPrecision+ with improved battery technology for longer cycle times and real-time visibility into battery metrics for better battery management, fast charging (up to 2.4A); hot swap battery backup with temporary session persistence
Expansion Slot	User accessible MicroSD with 32GB SDHC and up to 256GB SDXC
Network Connections	USB 2.0 High Speed (Host & Client), WLAN and WPAN (Bluetooth)
Notification	Audible tone; Multi-color LED bar (between keyboard & display), haptic feedback
Keypad	Backlit, Field replaceable keypads; 58 Key Alpha-Numeric ⁴ , 53 Key Alpha-Numeric STD, 53 Key Terminal Emulation (5250 and VT), 43 Key ² , 34 Key Numeric/Function ² , 29 Key Numeric/Calculation ⁴ .
Voice & Audio	Speaker, Microphone, PTT Voice (Internal Speaker and Bluetooth Wireless Headset Support).
Performance Characteristics	
CPU	Qualcomm Snapdragon™ 660 octa-core, 2.2 GHz
Operating System	Android 8.1 Oreo with Zebra's Restricted Mode for control over GMS and other services
Memory	4 GB RAM/32 GB Flash pSLC
User Environment	
Operating Temp.	Standard: -4°F to 122°F/-20°C to +50°C, Cold Storage: ² -22°F to 122°F/-30°C to +50°C
Storage Temp.	-40°F to 158°F/-40°C to 70°C
Humidity	Standard: 5% to 95%, non-condensing; Cold Storage: 5% to 95%, condensing (Condensation-free model with integrated heaters)
Drop Specification	Multiple 8ft. (2.4m) drops per MIL-STD-810G at room temperature; Multiple 6ft. (1.8m) drops to concrete across the operating temp. range.
Tumble Specification	2000 3.2 ft. (1m) tumbles (4000 hits); meets and exceeds IEC tumble specifications.
Sealing	IP67 and IP65 per applicable IEC sealing specifications

User Environment (continued)	
Vibration	4 g's PK Sine (5 Hz to 2 kHz); 0.04 g 2/Hz Random (20 Hz to 2 kHz); 60 minute duration per axis, 3 axis
Thermal Shock	-40°F to 158°F (-40° C to 70°C) rapid transition
Electrostatic Discharge (ESD)	± 15kVdc air discharge; ± 8kVdc direct discharge; ± 8kVdc indirect discharge
Interactive Sensor Technology (IST)	
Ambient Light Sensor	Automatically adjusts display & keypad backlight brightness
Motion Sensor	3-axis Accelerometer with MEMS Gyro
Data Capture	
Scanning	SE965: ² 1D standard range scan engine SE4750 SR: Standard range omnidirectional 1D/2D imaging engine SE4750 DP: ³ Direct Part Marking (DPM) imaging engine SE4850: Extended range 1D/2D imaging engine
Camera ²	Front: 5MP fixed focus, 2.0 aperture Rear: 13MP autofocus, 2.2 aperture, flash LED generates balanced white light, support torch mode, supports rear camera barcode scanning
NFC ²	Tap to Pair, ISO 14443 Type A and B, Felica and ISO 15693 cards, P2P mode and Card Emulation via Host (HCE) support
Wireless LAN	
Radio	IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/w; Wi-Fi certified; IPv4, IPv6, 2x2 MU-MIMO
Data Rates	5GHz: 802.11a/n/ac — up to 866.7 Mbps 2.4GHz: 802.11b/g/n — up to 300 Mbps
Operating Channels	Channel 1-13 (2412-2472 MHz); Chan 36-165 (5180-5825 MHz) Channel Bandwidth: 20, 40, 80 MHz Actual operating channels/ frequencies and bandwidths depend on regulatory rules and certification agency
Security & Encryption	WEP (40 or 104 bit); WPA/WPA2 Personal (TKIP and AES); WPA/WPA2 Enterprise (TKIP and AES) - EAP-TTLS (PAP, MSCHAP, MSCHAPv2), EAP-TLS, PEAPv0-MSCHAPv2, PEAPv1-EAP-GTC and LEAP, EAP-PWD FIPS 140-2 Level 1: Data in Motion and Data at Rest ²
Multimedia	Wi-Fi Multimedia (WMM and WMM-PS; Including TSPEC)
Certifications	WFA (802.11n, WMM-PS, 802.11ac, PMF, WMM-AC, Voice Enterprise, WiFi Direct and WPS 2.0)
Fast Roam	PMKID caching; Cisco CCKM; 802.11r; OKC
Wireless PAN	
Bluetooth	Class 2, Bluetooth V5.0 with BR/EDR and Bluetooth Low Energy (BLE) Support

Markets and Applications

Logistics

- Receiving/put-away
- Inventory management
- Returns processing
- Cross dock operations
- EDI transactions/picking

Manufacturing

- Inventory management
- Supply-line replenishment
- Safety testing
- Quality control audits
- Parts tracking/track and trace)

Retail

- Retail/inventory management
- Price audits/changes
- Back of store order fulfillment
- Store receiving

Cold Chain

- Receiving/putaway
- EDI transactions/picking
- Inventory management
- Supply-line replenishment
- Safety testing
- Quality control audits

Government

- Receiving/put-away
- Inventory management
- Returns processing
- Cross dock operations
- EDI transactions/picking

PRODUCT SPEC SHEET

MC9300

Device Approvals and Compliance

TAA² (Optional on select configurations)	Trade Agreement Act optional on select configurations Complaint, FIPS 140-2 (DIM & DAR) support; FIPS 140-2 Level 1: Data in Motion and Data at Rest
Non-Incendive (NI)^{1,2} (Optional on select configurations)	Suitable for use in Class I, II, III Div 2 Safety: cULus Listing — ISA/ANSA 12.12.01 Gases: Class I — Groups A, B, C, D Dusts: Class II — Groups F, G Fibers & Flyings: Class III -20°C ≤ Ta ≤ +50°C T6

Communication and Messaging

Workforce Connect PTT Express (included) provides instant push-to-talk small group communications across Wi-Fi networks. Workforce Connect PTT Pro (supported) provides a scalable network agnostic push-to-talk solution which also includes messaging, location services and two-way radio integration. Workforce Connect Voice client (supported) enables the MC9300 to function as a full featured mobile telephone with multi-line capability across Wi-Fi networks featured mobile telephone with multi line capability across Wi-Fi networks.

Warranty

Subject to the terms of Zebra's hardware warranty statement, the MC9300 is warranted against defects in workmanship and materials for a period of 1 (one) year from the date of shipment. For complete warranty statement, please visit: <http://www.zebra.com/warranty>

Recommended Services

Zebra OneCare Essential and Select: Maximize Zebra device availability, device value and operational efficiency with these fully-featured support services that set the industry bar for support.

Zebra Visibility Services — Asset Visibility Services (AVS) and Operational Visibility Service (OVS): Options on any Zebra OneCare support contract, these services deliver the device management data needed to take device uptime, operational efficiency and return on investment to the next level.


Platforming

Mobility DNA, Enterprise MDK, Standard Android SDK and SOTI for Android, Analytics Agent

Mobility DNA

Mobility DNA solutions help you get more value out of our mobile computers by adding functionality as well as simplifying deployment and management of our mobile devices. For more information on these Zebra-only features, please visit www.zebra.com/mobilitydna

Mobility DNA is available on Android only. Features may vary by model and a Support Contract may be required. To learn what solutions are supported, please visit: <https://developer.zebra.com/mobilitydna>



1. Available in North America.
2. Available Q2 2019.
3. Available Q3 2019.
4. Available Q4 2019.



www.inovity.com

800-452-7418

info@inovity.com



NA and Corporate Headquarters
+1 800 423 0442
inquiry4@zebra.com

Asia-Pacific Headquarters
+65 6858 0722
contact.apac@zebra.com

EMEA Headquarters
zebra.com/locations
contact.emea@zebra.com

Latin America Headquarters
+1 847 955 2283
la.contactme@zebra.com