

# Dolphin CK65/CK3X/CK3R Mobile Computer

Accessories Guide



# TABLE OF CONTENTS

2 Docks and Modules

3 Holsters and Handles

4 Batteries and Chargers

Cables

5 Power Supplies and Adapters

6 Replacement Parts

Snap-on Adapters

7 Flex Dock Supplies

# DOCKS AND MODULES



871-228-201

### Single Dock, Standard

Accommodates one device and one battery. Not for US customers. Requires power supply 851-061-502 and country-specific AC power cord. Supports Single Dock Ethernet Module, 871-238-012.

The battery bay is not compatible with CK7X battery (318-046-031).



871-228-301

### Single Dock, US Only

Accommodates one device and one battery. US customers only. Requires level VI power supply 851-810-002 and US AC power cord. Supports Single Dock Ethernet Module, 871-238-012.

The battery bay is not compatible with CK7X battery (318-046-031).



871-229-202

### Ethernet Multi-Dock, Standard

Accommodates up to four (4) devices. Not for US customers. Requires global power supply 851-064-416 and country-specific AC power cord. Provides extra port allowing for ability to link up to three (3) multidocks.



871-229-302

### Ethernet Multi-Dock, US Only

Accommodates up to four (4) devices. US customers only. Requires global power supply 851-064-416 and US AC power cord. Provides extra port allowing for ability to link up to three (3) multidocks.



871-229-201

### Charge Only, Multi-Dock, Standard

Accommodates up to four (4) devices. Not for US customers. Requires global power supply 851-064-416 and country-specific AC power cord.



871-229-301

### Charge Only, Multi-Dock, US Only

Accommodates up to four (4) devices. US customers only. Requires global power supply 851-064-416 and US AC power cord. Supports CK65/CK3X/CK3R.



871-231-102

### Vehicle Dock

Securely holds CK65/CK3X/CK3R and provides power. Cabled RS-232 (5 V power on pin 9) or USB Host support is also available.

Requires use of Honeywell RS-232 serial cable (p/n 225-737-002) or Honeywell USB cable VE011-2016. The CK65/CK3X/CK3R Series vehicle dock uses the same mounting system (p/n 805-611-001) and vehicle power kits (p/n 203-802-002).



871-236-001

### Vehicle Holder

Securely holds CK65, CK3X, and CK3R.



871-238-012

### Single Dock, Ethernet Module

Interfaces with USB host connector on Single Dock.

# HOLSTERS AND HANDLES



815-087-001

### Standard Belt Holster - without Scan Handle

CK65/CK3X/CK3R rugged lightweight holster with belt designed for use with handheld applications without scan handle.



815-088-001

### Standard Belt Holster - with Scan Handle

CK65/CK3X/CK3R rugged lightweight holster with belt designed for use with handheld applications with scan handle.



203-879-003

### Scan Handle

Customer installable scan handle (replaces the hand strap) that supports the CK65, CK3X, and CK3R.



213-064-001

### Kit, Rubber Protective Boot

For CK65 computer with EX20 scan engine. Not compatible with CK3X/CK3R.



213-063-001

### Kit, Rubber Protective Boot

For CK65 computer with 6703 scan engine. Not compatible with CK3X/CK3R.



203-988-001

### Kit, Protection Boot

Rubber boot for CK3R, charcoal color. Use with or without handle. Not compatible with holster, vehicle dock, or snap-on adapters. Not compatible with CK65/CK3X.



203-989-001

### Kit, Protection Boot

Rubber boot for CK3X, charcoal color. Use with or without handle. Not compatible with holster, vehicle dock, or snap-on adapters. Not compatible with CK3R.

# BATTERIES AND CHARGERS



318-033-021

**Standard Capacity Battery Pack**

One (1) standard rechargeable 7.4 watt hours (2000 mAh) battery. CK3R ships with (1) battery. Compatible with CK65/CK3R/CK3X.



318-034-033

**Extended Capacity Battery Pack**

One (1) extended rechargeable 18.5 watt hours (5000 mAh) battery pack. CK65/CK3X ships with one (1) battery. Compatible with CK65/CK3X/CK3R.



318-046-031

**Extended Capacity "Smart" Battery Pack**

One (1) standard rechargeable 18.5 watt hours (5200 mAh) 'smart' battery pack – provides battery health data. Supports CK65/CK3X/CK3R. Cannot be charged in the Quad Battery Charger and the battery bay of Single Dock.



871-230-101

**Quad Battery Charger, Standard**

Accommodates up to four (4) battery packs. Not for US customers. Requires power supply 851-061-502 and country-specific AC power cord. Not compatible with CK7X battery (318-046-031).



871-230-301

**Quad Battery Charger, US Only**

Accommodates up to four (4) battery packs. US customers only. Requires level VI power supply 851-810-002 and US AC power cord. Not compatible with CK7X battery (318-046-031).

# CABLES



CBL-500-120-S00-03

**USB type A to Micro USB, 1,2 m**

Charging and USB communication cable, USB Type A to Micro USB, 1,2 m (3.9 ft).



236-297-001

**USB Charging Cable**

Use with CK65/CK3X/CK3R for USB connection and for Active Sync and/or direct charging without the need for a dock or adapter (note charge times will be longer). Not compatible with CK3B.

# POWER SUPPLIES AND ADAPTERS

## Power Supplies



203-990-001

### Wall Power Supply, Standard

Wall Power Supply except China and US. Use with CK65/CK3X/CK3R, plugs directly into the heel for charging. Ships with interchangeable country plugs except China.



203-990-002

### Wall Power Supply, US Only

US-only Wall Power Supply. Use with CK65/CK3X/CK3R, plugs directly into the heel for charging. CEC compliant.



213-045-001

### Wall Power Supply, China Only

China-only Wall Power Supply. Use with CK65/CK3X/CK3R, plugs directly into the heel for charging.



851-064-416

### Universal Power Supply, 12 Vdc Output

Use with multi-docks (871-229-201, 871-229-202, 871-229-301, & 871-229-302). Order country-specific AC power cord separately.



851-061-502

### Power Supply for Non-US Customers, 12 Vdc/30 W Output

Use with single dock (871-228-201) or quad battery charger (871-230-101). Order country-specific AC power cord separately. Not for US customers.



851-810-002

### Level VI Power Supply, US Only, 12 Vdc/30 W Output

Use with single dock (871-228-301) or quad battery charger (871-230-301). US Customers Only



851-065-315

### Power Supply for Rest of World, except North America and LATAM, 12 Vdc/18 W Output

Use with 850-817-002 power snap-on adapter.



851-811-001

### Power Supply for North America and LATAM, 12 Vdc/18 W Output

Use with 850-817-002 power snap-on adapter.

# REPLACEMENT PARTS

need to be updated??



CN80-STY-5SH

### Stylus Replacement Kit


Contains five (5) sets of stylus and coiled tether for CK65. Not compatible with CK3X/CK3R.



203-986-001

### Stylus Replacement Kit


Contains five (5) sets of stylus and coiled tether for CK65/CK3X/CK3R. Not compatible with CK3B.



8754-870650-01

### Hand Strap Replacement Kit


Contain five (5) sets of hand straps for CK65, including mounting hardware. Not compatible with CK3X/CK3R.



203-987-002

### Hand Strap Replacement Kit

Contains five (5) sets of hand straps for CK3X/CK3R. Includes mounting hardware.



346-065-101

### Screen Cleaner Kit, Pre-Moist Wipes


Includes 24 pre-moistened, non-abrasive, non-streaking 4 in x 7 in wipes.



346-069-107

### Screen Protector, 10 each

Contains ten (10) self-adhesive screen protectors for CK3X/CK3R.



213-065-001

### Glass Screen Protector Kit, 5 each

Contains five (5) self-adhesive glass screen protectors for CK65. Not compatible with CK3X/CK3R.

# SNAP-ON ADAPTERS



850-817-002

### Power Snap-On Adapter

Recommended for in-field charging solutions not requiring vehicle dock. Supports use of AC power supply 851-065-315 (Rest of World, except North America and LATAM). Power supply 851-811-001 for North America and LATAM only.

850-815-002

### RS-232 Snap-On Adapter

Use with CK3R only. Not for use with CK3X/CK65.

# FLEX DOCK SUPPLIES



DX4A1444410

### Quad Dock - Ethernet

Accommodates four mobile computers. Includes power supply, North American power cord. Features 100Base-T Ethernet connectivity; provides 2 – RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks.



DX4A1444400

### Quad Dock - Ethernet

Accommodates four mobile computers. Includes power supply. Order power cord separately. Features 100Base-T Ethernet connectivity; provides 2 – RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks.



DX4A2444410

### Quad Dock - Charge Only

Accommodates four mobile computers – CHARGE ONLY. Includes power supply and North American power cord.



DX4A2444400

### Quad Dock - Charge Only

Accommodates four mobile computers – CHARGE ONLY. Includes power supply. Order power cord separately.



203-917-001

### FlexDock Cup for Battery Pack

FlexDock Cup for battery pack supporting CK65/CK3/CK70/CK71/CK75. Need to order FlexDock Base Desktop (852-920-002) separately.



203-916-001

### FlexDock Cup for Mobile Computer

FlexDock Cup for mobile computer supporting CK65/CK3 mobile. Need to order FlexDock Base Desktop (852-920-002) separately.



DX2A2BB10

### 4-Position Battery Charger

Includes two auxiliary pack charge cups, capable of supporting four battery packs. Includes power supply and North American power cord.



DX2A2BB20

### 4-Position Battery Charger

Includes two auxiliary pack charge cups, capable of supporting four battery packs. Includes power supply. Order power cord separately.



DX4A2BBB10

### 8-Position Battery Charger

Includes four auxiliary pack charge cups, capable of supporting eight battery packs. Includes power supply and North American power cord.



DX4A2BBB00

### 8-Position Battery Charger

Includes four auxiliary pack charge cups, capable of supporting eight battery packs. Includes power supply. Order power cord separately.



**For more information**

[www.honeywellaidc.com](http://www.honeywellaidc.com)

**Honeywell Safety and Productivity Solutions**

9680 Old Bailes Road

Fort Mill, SC 29707

800-582-4263

[www.honeywell.com](http://www.honeywell.com)

CK65/CK3X/CK3R Mobile Computer Accessories Guide | Rev A | 03/19  
© 2019 Honeywell International Inc.

**Honeywell**